


SD48614

SYM	REVISION DESCRIPTION	DFTM	DATE	APPD	DATE
A	RELEASED FOR PRODUCTION	J.D.B.	5/17/94	J.D.B.	5/17/94
B	CHANGED PER CDC #20837	J.D.B.	9/14/00		



TYPE "C" MALE INTERFACE
PER MIL-C-39012

Ø3/32" SPANNER WRENCH HOLE,
4 HOLES, 90° APART.

DRAFTSMAN	John D. Bloomfield	5/16/94
CHECKER	John D. Bloomfield	5/17/94
APPROVED	John D. Bloomfield	5/17/94

UNLESS OTHERWISE SPECIFIED
ALL DIMENSIONS ARE IN INCHES
MACHINED SURFACES FINISH N/A RMS MAX.
REMOVE ALL BURRS .005 MAX. BREAK
MACHINE CORNERS .005 MAX. FILLET R.
TOLERANCES ON DECIMALS
.XX ± .03 .XXX ± .005
ANGLES ± 1° FRACTIONS ± 1/32

DO NOT SCALE DRAWING

TIMES MICROWAVE SYSTEMS	
TITLE: REPLACEABLE FRONT END (90°) "C" MALE	
DWG. SIZE B	DRWG. NO. SD48614
CODE IDENT. 68999	SCALE: NONE
REV. B	SHEET: 1 of 1

OUTER CONTACT	BERYLLIUM COPPER, ASTM B196	NICKEL PLATE, QQ-N-290	011662 W.O. NUMBER MATERIAL: SEE TABLE
DIELECTRICS	TEFLON, ASTM D1457	NONE	
COUPLING NUT	BRASS, QQ-B-626	NICKEL PLATE, QQ-N-290	
CONTACTS	BERYLLIUM COPPER, ASTM B196	GOLD PLATE, MIL-G-45204	
BACK NUT	STAINLESS STEEL, ASTM A582	PASSIVATE, QQ-P-35	
90° BODY	STAINLESS STEEL, ASTM A582	PASSIVATE, QQ-P-35	
PART NAME	MATERIAL & SPEC. NUMBER	FINISH & SPEC. NUMBER	